

DCC Yellow 2096



The best coatings are made with the best pigments

DCC Yellow 2096

Greatest value in use in the market

Superior dispersion

DCC's most greenish Bismuth Vanadate
type at equal colour strength

Zinc free

coatings



Dominion Colour Corporation

Working Together for Quality

ISO 9001
ISO 14001

www.dominioncolour.com
sales@dominioncolour.com

DCC Yellow 2096

Pigment Yellow 184



CHEMICAL CLASS

Bismuth Vanadate
C.A.S. # 14059-33-7
EC 237-898-0

PRODUCT OVERVIEW

DCC Yellow 2096 is one of a New Generation of Bismuth Vanadate pigments from Dominion Colour Corporation. This new grade is a bright, green shade yellow pigment with high gloss and opacity versus traditional grades and very good durability properties. Competitive products in the market may have comparable colour strength and similar shade but DCC Yellow 2096's superior dispersion, saturation and durability distinguishes it from the market. DCC Yellow 2096 is especially suitable for decorative, industrial and powder coating applications.

SHADE INDICATOR



THIS PRODUCT RANGE IS SUPPORTED BY:

- DCC's global presence
- DCC's technical service and support
- Local warehousing capabilities that ensure on-time delivery
- DCC's ability to consistently deliver quality products

APPLICATIONS

	DCC Yellow 2096
Architectural Water & Universal	■
Architectural Solvent	■
Industrial Fast Air Drying	■
Industrial Oven Cured	■
Coil Coatings	□
Automotive Coatings	□
Powder Coatings	■



PRODUCT CHARACTERISTICS

	DCC Yellow 2096
Weatherfastness <ul style="list-style-type: none"> Masstone Tint 	4-5 5
Physical Properties <ul style="list-style-type: none"> Specific Gravity Oil Absorption Heat Resistance 	4.74 28 200°C

RESISTANCE PROPERTIES

	DCC Yellow 2096
Ethyl Acetate	E
Ethyl Alcohol	E
MEK	E
Mineral Spirits	E
Water	E
Xylene	E
Dilute Alkali	E
Dilute Acid	VG-E



LEGEND: E - Excellent VG - Very Good G - Good F - Fair P - Poor **RECOMMENDATIONS:** ■ Frequently Used □ Limited Use □ Not Normally Used
WEATHERFASTNESS: 1 - Severe Change In Shade 5 - No Change In Shade

The information in this handout is based on extensive testing and application experience and is believed to be a reliable indication of the results that may be expected. However, the data does not constitute a specification for the products, and is offered only as a guide to performance without guarantee or warranty of any kind. Because of the difficulties of modern colour reproduction, the shades may vary slightly from the final colour application. Since many variables have a strong influence on pigment performance, the users are encouraged to test each product in their own laboratory prior to use.



Dominion Colour Corporation
Working Together for Quality

ISO 9001
ISO 14001

www.dominioncolour.com
sales@dominioncolour.com

DISTRIBUTED BY: _____